






material number: 2003153  
 local article number: 132302

 ACO Ahlmann SE & Co. KG Am Ahlmannkai 24782 Büdelsdorf www.aco.com	drawing-no.: <b>1037897-M</b>	index: <b>005</b>	documenttype: marketing drw.
	created by: rkumar	reviewed by: smeier	projection: ISO-E 
title: <b>Multiline Seal in          Slope Channel V100S 1m 2 with galv. steel rail          Gefällerinne V100S 1m 2 mit verzinkter Stahlzarge</b>			<b>serial-released</b>
<small>The reproduction, distribution and utilization of this document as well as the communication of its contents to others without express authorization is prohibited. Offenders will be held liable for the payment of damages. All rights reserved in the event of the grant of a patent, utility model or design. Observe copyright by ISO 16016</small>			release date: <b>07.02.2023</b>
			sheet: <b>1/1</b>




material number: 2003154  
 local article number: 132303

 ACO Ahlmann SE & Co. KG Am Ahlmannkai 24782 Büdelsdorf www.aco.com	drawing-no.: <b>1037898-M</b>	index: <b>005</b>	documenttype: marketing drw.
	created by: rkumar	reviewed by: smeier	projection: ISO-E 
title: <b>Multiline Seal in</b> <b>Slope Channel V100S 1m 3 with galv. steel rail</b> <b>Gefällerinne V100S 1m 3 mit verzinkter Stahlzarge</b>			<b>serial-released</b>
<small>The reproduction, distribution and utilization of this document as well as the communication of its contents to others without express authorization is prohibited. Offenders will be held liable for the payment of damages. All rights reserved in the event of the grant of a patent, utility model or design. Observe copyright by ISO 16016</small>			release date: <b>07.02.2023</b>
			sheet: <b>1/1</b>












material number: 2003159  
 local article number: 132308

 ACO Ahlmann SE & Co. KG Am Ahlmannkai 24782 Büdelsdorf www.aco.com	drawing-no.: <b>1037903-M</b>	index: <b>005</b>	documenttype: marketing drw.
	created by: rkumar	reviewed by: smeier	projection: ISO-E 



title:  
**Multiline Seal in**  
**Slope Channel V100S 1m 8 with galv. steel rail**  
**Gefällerinne V100S 1m 8 mit verzinkter Stahlzarge**

**serial-released**


The reproduction, distribution and utilization of this document as well as the communication of its contents to others without express authorization is prohibited. Offenders will be held liable for the payment of damages. All rights reserved in the event of the grant of a patent, utility model or design. Observe copyright by ISO 16016	release date: <b>07.02.2023</b>	sheet: <b>1/1</b>
--	------------------------------------	----------------------



material number: 2003160  
 local article number: 132309

 ACO Ahlmann SE & Co. KG Am Ahlmannkai 24782 Büdelsdorf www.aco.com	drawing-no.: <b>1037904-M</b>	index: <b>005</b>	documenttype: marketing drw.
	created by: rkumar	reviewed by: smeier	projection: ISO-E 
title: <b>Multiline Seal in</b> <b>Slope Channel V100S 1m 9 with galv. steel rail</b> <b>Gefällerinne V100S 1m 9 mit verzinkter Stahlzarge</b>			<b>serial-released</b>
<small>The reproduction, distribution and utilization of this document as well as the communication of its contents to others without express authorization is prohibited. Offenders will be held liable for the payment of damages. All rights reserved in the event of the grant of a patent, utility model or design. Observe copyright by ISO 16016</small>			release date: <b>07.02.2023</b>
			sheet: <b>1/1</b>





Rinne Typ	HA/HE (mm)	Zarge Stahl verzinkt Art.-Nr.	Zarge Edelstahl V2A Art.-Nr.
0.0	150	132330	132430
5.0	175	132340	132440
10.0	200	132350	132450
20.0	250	132370	132470

Rinne Typ	HA/HE (mm)	Zarge Stahl verzinkt Art.-Nr.	Zarge Edelstahl V2A Art.-Nr.
1	150/155	132301	132401
2	155/160	132302	132402
3	160/165	132303	132403
4	165/170	132304	132404
5	170/175	132305	132405
6	175/180	132306	132406
7	180/185	132307	132407
8	185/190	132308	132408
9	190/195	132309	132409
10	195/200	132310	132410

Benennung:  
ACO DRAIN Multiline V 100 Seal in Rinne  
Typ 0.0 bis 20.0 und Typ 1 bis 10, L= 1,0 m  
Art.-Nr. 132330,132340,132350,132370

	Datum	Name
Gez.	14.04.2016	debeling
Upd.	18.01.2017	debeling
Norm		



**ACO Tiefbau**

ACO Tiefbau Vertrieb GmbH  
24755 Rendsburg, Postfach 320  
Tel. 04331/ 354-500  
FAX 04331/ 354-350  
www.aco-tiefbau.de


Zeichnung-Nr.  
G1-M01-1533-3

Index  
001

Technische Änderungen vorbehalten

Schutzvermerk gemäß DIN 34

Ers. für:



Rinne Typ	HA/HE (mm)	Zarge Stahl verzinkt Art.-Nr.	Zarge Edelstahl V2A Art.-Nr.
0.0	150	132330	132430
5.0	175	132340	132440
10.0	200	132350	132450
20.0	250	132370	132470

Rinne Typ	HA/HE (mm)	Zarge Stahl verzinkt Art.-Nr.	Zarge Edelstahl V2A Art.-Nr.
1	150/155	132301	132401
2	155/160	132302	132402
3	160/165	132303	132403
4	165/170	132304	132404
5	170/175	132305	132405
6	175/180	132306	132406
7	180/185	132307	132407
8	185/190	132308	132408
9	190/195	132309	132409
10	195/200	132310	132410

Benennung:  
ACO DRAIN Multiline V 100 Seal in Rinne  
Typ 0.0 bis 20.0 und Typ 1 bis 10, L= 1,0 m  
Art.-Nr. 132330,132340,132350,132370

	Datum	Name
Gez.	14.04.2016	debeling
Upd.	18.01.2017	debeling
Norm		



**ACO Tiefbau**

ACO Tiefbau Vertrieb GmbH  
24755 Rendsburg, Postfach 320  
Tel. 04331/ 354-500  
FAX 04331/ 354-350  
www.aco-tiefbau.de


Zeichnung-Nr.  
G1-M01-1533-3

Index  
001

Technische Änderungen vorbehalten

Schutzvermerk gemäß DIN 34

Ers. für:



Rinne Typ	HA/HE (mm)	Zarge Stahl verzinkt Art.-Nr.	Zarge Edelstahl V2A Art.-Nr.
0.0	150	132330	132430
5.0	175	132340	132440
10.0	200	132350	132450
20.0	250	132370	132470

Rinne Typ	HA/HE (mm)	Zarge Stahl verzinkt Art.-Nr.	Zarge Edelstahl V2A Art.-Nr.
1	150/155	132301	132401
2	155/160	132302	132402
3	160/165	132303	132403
4	165/170	132304	132404
5	170/175	132305	132405
6	175/180	132306	132406
7	180/185	132307	132407
8	185/190	132308	132408
9	190/195	132309	132409
10	195/200	132310	132410

Benennung:  
ACO DRAIN Multiline V 100 Seal in Rinne  
Typ 0.0 bis 20.0 und Typ 1 bis 10, L= 1,0 m  
Art.-Nr. 132330,132340,132350,132370

	Datum	Name
Gez.	14.04.2016	debeling
Upd.	18.01.2017	debeling
Norm		



**ACO Tiefbau**

ACO Tiefbau Vertrieb GmbH  
24755 Rendsburg, Postfach 320  
Tel. 04331/ 354-500  
FAX 04331/ 354-350  
www.aco-tiefbau.de


Zeichnung-Nr.  
G1-M01-1533-3

Index  
001

Technische Änderungen vorbehalten

Schutzvermerk gemäß DIN 34

Ers. für:



Rinne Typ	HA/HE (mm)	Zarge Stahl verzinkt Art.-Nr.	Zarge Edelstahl V2A Art.-Nr.
0.0	150	132330	132430
5.0	175	132340	132440
10.0	200	132350	132450
20.0	250	132370	132470

Rinne Typ	HA/HE (mm)	Zarge Stahl verzinkt Art.-Nr.	Zarge Edelstahl V2A Art.-Nr.
1	150/155	132301	132401
2	155/160	132302	132402
3	160/165	132303	132403
4	165/170	132304	132404
5	170/175	132305	132405
6	175/180	132306	132406
7	180/185	132307	132407
8	185/190	132308	132408
9	190/195	132309	132409
10	195/200	132310	132410

Benennung:  
ACO DRAIN Multiline V 100 Seal in Rinne  
Typ 0.0 bis 20.0 und Typ 1 bis 10, L= 1,0 m  
Art.-Nr. 132330,132340,132350,132370

	Datum	Name
Gez.	14.04.2016	debeling
Upd.	18.01.2017	debeling
Norm		



**ACO Tiefbau**

ACO Tiefbau Vertrieb GmbH  
24755 Rendsburg, Postfach 320  
Tel. 04331/ 354-500  
FAX 04331/ 354-350  
www.aco-tiefbau.de


Zeichnung-Nr.  
G1-M01-1533-3

Index  
001

Technische Änderungen vorbehalten

Schutzvermerk gemäß DIN 34

Ers. für:



Rinne Typ	HA/HE (mm)	Zarge Stahl verzinkt Art.-Nr.	Zarge Edelstahl V2A Art.-Nr.
0.0	150	132330	132430
5.0	175	132340	132440
10.0	200	132350	132450
20.0	250	132370	132470

Rinne Typ	HA/HE (mm)	Zarge Stahl verzinkt Art.-Nr.	Zarge Edelstahl V2A Art.-Nr.
1	150/155	132301	132401
2	155/160	132302	132402
3	160/165	132303	132403
4	165/170	132304	132404
5	170/175	132305	132405
6	175/180	132306	132406
7	180/185	132307	132407
8	185/190	132308	132408
9	190/195	132309	132409
10	195/200	132310	132410

Benennung:  
ACO DRAIN Multiline V 100 Seal in Rinne  
Typ 0.0 bis 20.0 und Typ 1 bis 10, L= 1,0 m  
Art.-Nr. 132330,132340,132350,132370

	Datum	Name
Gez.	14.04.2016	debeling
Upd.	18.01.2017	debeling
Norm		



**ACO Tiefbau**

ACO Tiefbau Vertrieb GmbH  
24755 Rendsburg, Postfach 320  
Tel. 04331/ 354-500  
FAX 04331/ 354-350  
www.aco-tiefbau.de


Zeichnung-Nr.  
G1-M01-1533-3

Index  
001

Technische Änderungen vorbehalten

Schutzvermerk gemäß DIN 34

Ers. für:



Rinne Typ	HA/HE (mm)	Zarge Stahl verzinkt Art.-Nr.	Zarge Edelstahl V2A Art.-Nr.
0.0	150	132330	132430
5.0	175	132340	132440
10.0	200	132350	132450
20.0	250	132370	132470

Rinne Typ	HA/HE (mm)	Zarge Stahl verzinkt Art.-Nr.	Zarge Edelstahl V2A Art.-Nr.
1	150/155	132301	132401
2	155/160	132302	132402
3	160/165	132303	132403
4	165/170	132304	132404
5	170/175	132305	132405
6	175/180	132306	132406
7	180/185	132307	132407
8	185/190	132308	132408
9	190/195	132309	132409
10	195/200	132310	132410

Benennung:  
 ACO DRAIN Multiline V 100 Seal in Rinne  
 Typ 0.0 bis 20.0 und Typ 1 bis 10, L= 1,0 m  
 Art.-Nr. 132330,132340,132350,132370

	Datum	Name
Gez.	14.04.2016	debeling
Upd.	18.01.2017	debeling
Norm		



**ACO Tiefbau**

ACO Tiefbau Vertrieb GmbH  
 24755 Rendsburg, Postfach 320  
 Tel. 04331/ 354-500  
 FAX 04331/ 354-350  
 www.aco-tiefbau.de


Zeichnung-Nr.  
 G1-M01-1533-3

Index  
 001

Technische Änderungen vorbehalten

Schutzvermerk gemäß DIN 34

Ers. für:



Rinne Typ	HA/HE (mm)	Zarge Stahl verzinkt Art.-Nr.	Zarge Edelstahl V2A Art.-Nr.
0.0	150	132330	132430
5.0	175	132340	132440
10.0	200	132350	132450
20.0	250	132370	132470

Rinne Typ	HA/HE (mm)	Zarge Stahl verzinkt Art.-Nr.	Zarge Edelstahl V2A Art.-Nr.
1	150/155	132301	132401
2	155/160	132302	132402
3	160/165	132303	132403
4	165/170	132304	132404
5	170/175	132305	132405
6	175/180	132306	132406
7	180/185	132307	132407
8	185/190	132308	132408
9	190/195	132309	132409
10	195/200	132310	132410

Benennung:  
ACO DRAIN Multiline V 100 Seal in Rinne  
Typ 0.0 bis 20.0 und Typ 1 bis 10, L= 1,0 m  
Art.-Nr. 132330,132340,132350,132370

	Datum	Name
Gez.	14.04.2016	debeling
Upd.	18.01.2017	debeling
Norm		



**ACO Tiefbau**

ACO Tiefbau Vertrieb GmbH  
24755 Rendsburg, Postfach 320  
Tel. 04331/ 354-500  
FAX 04331/ 354-350  
www.aco-tiefbau.de


Zeichnung-Nr.  
G1-M01-1533-3

Index  
001

Technische Änderungen vorbehalten

Schutzvermerk gemäß DIN 34

Ers. für:



Rinne Typ	HA/HE (mm)	Zarge Stahl verzinkt Art.-Nr.	Zarge Edelstahl V2A Art.-Nr.
0.0	150	132330	132430
5.0	175	132340	132440
10.0	200	132350	132450
20.0	250	132370	132470

Rinne Typ	HA/HE (mm)	Zarge Stahl verzinkt Art.-Nr.	Zarge Edelstahl V2A Art.-Nr.
1	150/155	132301	132401
2	155/160	132302	132402
3	160/165	132303	132403
4	165/170	132304	132404
5	170/175	132305	132405
6	175/180	132306	132406
7	180/185	132307	132407
8	185/190	132308	132408
9	190/195	132309	132409
10	195/200	132310	132410

Benennung:  
ACO DRAIN Multiline V 100 Seal in Rinne  
Typ 0.0 bis 20.0 und Typ 1 bis 10, L= 1,0 m  
Art.-Nr. 132330,132340,132350,132370

	Datum	Name
Gez.	14.04.2016	debeling
Upd.	18.01.2017	debeling
Norm		



**ACO Tiefbau**

ACO Tiefbau Vertrieb GmbH  
24755 Rendsburg, Postfach 320  
Tel. 04331/ 354-500  
FAX 04331/ 354-350  
www.aco-tiefbau.de


Zeichnung-Nr.  
G1-M01-1533-3

Index  
001

Technische Änderungen vorbehalten

Schutzvermerk gemäß DIN 34

Ers. für:



Rinne Typ	HA/HE (mm)	Zarge Stahl verzinkt Art.-Nr.	Zarge Edelstahl V2A Art.-Nr.
0.0	150	132330	132430
5.0	175	132340	132440
10.0	200	132350	132450
20.0	250	132370	132470

Rinne Typ	HA/HE (mm)	Zarge Stahl verzinkt Art.-Nr.	Zarge Edelstahl V2A Art.-Nr.
1	150/155	132301	132401
2	155/160	132302	132402
3	160/165	132303	132403
4	165/170	132304	132404
5	170/175	132305	132405
6	175/180	132306	132406
7	180/185	132307	132407
8	185/190	132308	132408
9	190/195	132309	132409
10	195/200	132310	132410

Benennung:  
ACO DRAIN Multiline V 100 Seal in Rinne  
Typ 0.0 bis 20.0 und Typ 1 bis 10, L= 1,0 m  
Art.-Nr. 132330,132340,132350,132370

	Datum	Name
Gez.	14.04.2016	debeling
Upd.	18.01.2017	debeling
Norm		



**ACO Tiefbau**

ACO Tiefbau Vertrieb GmbH  
24755 Rendsburg, Postfach 320  
Tel. 04331/ 354-500  
FAX 04331/ 354-350  
www.aco-tiefbau.de

Zeichnung-Nr.  
G1-M01-1533-3

Index  
001

Technische Änderungen vorbehalten

Schutzvermerk gemäß DIN 34

Ers. für: